

CARGO - STREET LEGAL



A fully electric vehicle equipped with everything you need as standard. Spacious, agile and surprisingly affordable. No endless list of expensive options - just well taken care of. As you would expect from eSupplier, as we know how electric driving really works.

The eFFort Cargo-Truck is the answer to today's uncertainty and an investment in tomorrow's sustainability.

For entrepreneurs who want to move forward, without fuss. Because you deliver every day. Because we do too.

Our eFFort Cargo-Truck is ready for what is coming!



- EU homologation - Street Legal ✓
- Range up to 200 km ✓
- Top Speed up to 75km/h ✓
- 5-7h Charge ✓
- Up to 600kg loading capacity ✓

Cabin

The materials in the eFFort are of high quality. The seats and dashboard are durable and made of aesthetic materials for optimal comfort. Moreover, it is standard with a touchscreen system with Bluetooth functionality.

The cabin of the eFFort offers unparalleled comfort due to its exceptional width, making it the most comfortable in the market. The spacious layout allows drivers and passengers to enjoy extra freedom of movement and an enhanced driving experience.

The ergonomically designed seats ensure that even long journeys are pleasant and relaxing.



Price


The eFFort Cargotruck has very competitive pricing and great value for money! You will nowhere find a more interesting offer! Contact us to learn more about this top-class vehicle. You are more than happy to book a demo ride at our premises or invites during one of our many eSupplier-on-Tour trips to showcase the vehicle on site!

Battery

The eFFort offers the perfect solution for every challenge, thanks to its all-electric drive, compact measurement and impressive range. The vehicle features a 23kWh Lithium battery that is maintenance-free, offers a range of up to 200km and can handle 'fast charging'.




CARGO - STREET LEGAL




eS-Cargo / Flat Bed

- Chassis version
- 10kW engine
- 75 km/h
- 100% electric




eS-Cargo / Pick-up

- Open Cargo Box version
- 10kW engine
- 75 km/h
- 100% electric



eS-Cargo / Tipper

- Open Cargo Box with tipper version
- 10kW engine
- 75 km/h
- 100% electric




eS-Cargo / Closed

- Closed Cargo Box (no side doors)
- 10kW engine
- 75 km/h
- 100% electric




eS-Cargo / Closed Cold

- Closed Cargo Box (no side doors)
- 10kW engine
- 75 km/h
- 100% electric




eS-Cargo / Closed Door

- Closed Cargo Box (one side doors)
- 10kW engine
- 75 km/h
- 100% electric




eS-Cargo / Closed Roll-up

- Closed Cargo Box (Full side roller door)
- 10kW engine
- 75 km/h
- 100% electric




eS-Cargo / Waste Collection

- Waste Collection (CUSTOM)
- 10kW engine
- 75 km/h
- 100% electric



eS-Cargo / Display


- Display - Marketing (CUSTOM)
- 10kW engine
- 75 km/h
- 100% electric



CARGO - VEHICLE DIMENSIONS


Dimensions Closed & Cold

A Length	3700 mm	D Wheelbase	2500 mm
B Width	1440 mm	E Ground Clearance	160 mm
Width (incl. Mirror)	1735 mm	F Cargo Bed Height	700 mm
C Height	2100 mm		



Dimensions Pick-Up & Tipper


A Length	3700 mm	D Wheelbase	2500 mm
B Width	1440 mm	E Ground Clearance	160 mm
Width (incl. Mirror)	1735 mm	F Cargo Bed Height	700 mm
C Height	1800 mm		



Dimensions Flat

A Length	3600 mm
B Width	1440 mm
Width (incl. Mirror)	1735 mm
C Height	1750 mm
D Wheelbase	2500 mm
E Ground Clearance	160 mm
F Cargo Bed Height	700 mm

CARGO - BOX DIMENSIONS




CLOSED CARGO BOX

① Length Outside	1710 mm
① Length Inside	1635 mm
② Width Outside	1450 mm
② Width Inside	1420 mm
③ Height Outside	1360 mm
③ Height Inside	1290 mm

CLOSED COLD CARGO BOX

① Chiller unit	540 mm
① Length Outside	1710/2260 mm
① Length Inside	1625 mm
② Width Outside	1450 mm
② Width Inside	1365 mm
③ Height Outside	1360 mm
③ Height Inside	1275 mm
Compressor rated power	700 W (72V)
④ Service temperature	-18 ~+10°C




PICK UP CARGO BOX

① Length Outside	1700 mm
① Length Inside	1660 mm
② Width Outside	1375 mm
② Width Inside	1335 mm
③ Height	1100 mm
④ Total Height	325 mm
⑤ Height Headboard	775 mm

PICK UP TIPPER CARGO BOX

① Length Outside	1742 mm
① Length Inside	1627 mm
② Width Outside	1440 mm
② Width Inside	1300 mm
③ Height	1075 mm
④ Total Height	325 mm
⑤ Height Headboard	730 mm
Payload Area	2.2 m ²
Max Height Tray Raised	2630 mm
Max Tipping Angle Tray	45°
Lifting time (empty)	15 sec



CARGO - SPECIFICATIONS



LEGENDARY PERFORMANCES,
EXCEPTIONAL COMFORT

SPECSHEET



GENERAL

Gross vehicle weight (kg)	1450
Curb weight (kg)	845
Max. load capacity (kg)	600
Max. speed (km/h)	75
Max. gradient	25%
Min. turning circle (m)	5,5
Range in practice (km)	200
Vehicle warranty	2 years or 50.000km

BATTERY

Battery Type	LiFePO4
Rated Capacity (Ah/kWh)	300Ah / 23
Nominal Voltage (V)	76,8
LOADING SYSTEM	
On-board charger (kW)	3,3
Type of connector	EU Type 2
Charge time 20-80% (h)	4
Charge time 0-100% (h)	7

ELECTRIC DRIVE

Engine type	Permanent Magnet
	Synch. Engine (PMSM)
Cooling	Air-cooled
Drive	Rear-wheel drive
Electric motor power	10kW / 20kW peak
Maximum torque (Nm)	112
Transmission	Automatic

PERMANENT MAGNET

Synch. Engine (PMSM)
Air-cooled
Rear-wheel drive
10kW / 20kW peak
112
Automatic

CHASSIS

Suspension	McPherson (independent suspension)
Brake system Front	Brake discs
Brake system Rear	Drum brakes
Tyre size	155/65 R13

McPHERSON (INDEPENDENT SUSPENSION)

Brake discs
Drum brakes
155/65 R13

STANDARD

OBC 3.3kW
2 reclining seats
Faux leather seats
Metal door and cabin
Adjustable headrests
Three-point seat belts
LED lights
Seat belt warning
Doors warning
Central door lock
Remote control key
Electric windows
Electric heating
Reversing camera
9" touch-screen multimedia system
Radio
Air conditioning

SAFETY

ABS (Anti-Lock Braking System)
EPS (Electronic Power Steering)
PAS (Pedestrian Alert Systems)
Regen Brakingsystem
BOS (Brake Override System)

OPTIONAL

Custom made box (with racks)
Towing hook
Wall Charger 7.4kW
Battery 150Ah / 11,50kWh
Warning triangle
Blue Spot / Amber Flashing Light