



PRODUCT
CATALOGUE

eSupplier
Pittemstraat 88A, 8760 Meulebeke BE
+32(0)493.50.51.05 | Tibo De Soete
+32(0)492.58.11.83 | Micha Denys
info@esupplier.be - www.esupplier.be

*Photos are indicative and may differ from actual vehicle.
Subject to terms and conditions at www.esupplier.be*



Low Speed Electric Golfcarts, Utility Vehicles, 4x4 & Shuttles

e-Supplier offers a full range of electric vehicles, both street-legal for driving on public roads and non-street-legal for driving on private terrains. We offer a high-end full option line as well as more budget options in order to offer the best solutions for all types of application and customers' requirements. Our vehicles can be used for both light application (golf, hotels & resorts, ...) as for more demanding applications (campings, rental, agro, logistics, construction, ...).



Cargo-Truck & Specials

With its full electric drive, compact dimensions and impressive driving range our eFFort Cargo-Truck is a perfect solution for urban logistics and available in many different lay-outs with multiple cargo option. The touchscreen with infotainment, an integrated heating and air-conditioning system and ultra comfortable ergonomic seating all contribute to a great driving experience. Be ready for the future and get to know all the features and options.



eFFort LiFePO4 Lithium Batteries

Based on our long experience of battery design and production of lithium batteries for producers of smaller applications like ebikes, drones, electric wheelchairs, AGV's, ... we decided to build a range of 24V and 48V batteries for golfcarts, aerial work platforms, scissor lifts, industrial cleaning machines, boats, utility vehicles, etc. Our high quality eFFort batteries are fully in line with the EU directives and come with a 5-years warranty. Our range consists of top class components and includes some very interesting technical features. Our eFFort. Your equipment. Discover our range!



Crown Lead Acid Batteries

e-Supplier is a long-time distribution partner for Crown Battery. This USA based producer offers a full line of deepcycle batteries for recreational EV, access work platforms, scissor lifts and cleaning machines. They are tough, tested and proven to deliver years of reliable, rechargeable service and performance. Pure Power. Get to know our full range of battery models.



Parts and Accessories

Selling one electric vehicle is not difficult, but selling many vehicles comes with a responsibility! Our customers rely on us and our distributors for a good service-after-sales. That is why we put of lot of time in training our dealers to understand each aspect of our vehicles. Our large stock of parts and accessories add up to our customer-oriented market view and allows for quick assistance.



Used Vehicles

We always have available from stock a nice range of 2nd hand vehicles, usually from top brands like Clubcar and EZGO. We offer these in an "as is" configuration or fully technically and/or visually inspected. Additional options, like a small cargo box or a rear seat for two extra passengers, are available too!



OEM Battery Production

For many years we have designed and produced lithium batteries on behalf of producers of cashier systems, VR applications, alarm systems, AGV's, golfcarts, etc. These are custom-made battery packs that are designed and tested with the equipment manufacturer until the perfect battery is ready. We apply for all required certificates and – according to the customer's forecast – organize the production. The batteries are stocked in Belgium and shipped to the customer, depending on his specific requirements. Interested in this high-levelled service for your equipment?



VEHICLES - STREET LEGAL



Public roads



Municipalities



Tourism



Last mile delivery



Vineyard



Event renting



Agriculture



PC2SL

- 2-seater
- 6kW engine
- EU Homologation L7
- 100% electric
- 50 km autonomy*
- Full option
- Battery not included



PC4SL

- 4-seater
- 6kW engine (10kW optional)
- EU Homologation L7
- 100% electric
- 50 km autonomy*
- Off-road / lifted version (optional)
- Full option
- Battery not included



PCWSL

- 2-seater utility
- 6kW engine (10kW optional)
- EU Homologation L7
- 100% electric
- 50 km autonomy*
- Off-road / lifted version (optional)
- Open Cargo: 180x130x40
- Full option
- Battery not included



eS-2SL

- 2-seater
- 4kW engine
- EU Homologation L6
- 100% electric
- 50 km autonomy*
- Full option
- Battery included (Lithium eFFort)



eS-4SL

- 4-seater
- 6kW engine
- EU Homologation L7
- 100% electric
- 50 km autonomy*
- Full option
- Battery included (Lithium eFFort)



eS-WSL

- 2-seater utility
- 6kW engine
- EU Homologation L7
- 100% electric
- 50 km autonomy*
- Full option
- Open Cargo: 100x110x27
- Battery included (Lithium eFFort)



eFFort eS-2SL (Street Legal)

| | |
|----------------|--|
| Category | L6eCP |
| Curb weight | 403 kg |
| Max total mass | 513 kg |
| Max speed | 30 km/h |
| Range +/- | 50 km |
| Max gradient | 30% |
| Dimensions | 2380x1200x1850 mm |
| Wheelbase | 1640 mm |
| Battery | LiFePO4 (Lithium) 48V 160Ah |
| Charge unit | 25A |
| Engine | 6.3kW |
| Controller | Curtis |
| Optional | Open Alu Box 700x1100x275 mm Rear Seat with extended roof |

Pilotcar PC-2SL (Street Legal)

| | | |
|-------------------|--|----------------|
| Category | L7eCP | Category |
| (LA)637 - (LIT) | 527 kg | Curb weight |
| | 292 kg | Total load cap |
| | 40 km/h | Max speed |
| | 50 km | Range +/- |
| | 20% | Max gradient |
| 2460x1220x1965 mm | | Dimensions |
| 1646 mm | | Wheelbase |
| No Battery incl. | | Battery |
| 17A | | Charge unit |
| 6kW | | Engine |
| Curtis | | Controller |
| Optional | Plastic cargobox | Optional |
| | Open Alu Box 1000x1100x400 mm | |
| | Rear Seat with extended roof | |
| | Lead acid 48V 165Ah or 220Ah | |
| | LiFePO4 (Lithium) 48V 106Ah or 48V 173Ah | |

eFFort eS-4SL (Street Legal)

| | |
|----------------|--|
| Category | L7eCP |
| Curb weight | 504 kg |
| Max total mass | 779 kg |
| Max speed | 40 km/h |
| Range +/- | 50 km |
| Max gradient | 25% |
| Dimensions | 3180x1200x1850 mm |
| Wheelbase | 2430 mm |
| Battery | LiFePO4 (Lithium) 48V 160Ah |
| Charge unit | 25A |
| Engine | 6.3kW |
| Controller | Curtis |
| Optional | Open Alu Box 700x1100x275 mm Rear Seat with extended roof |

Pilotcar PC-4SL (Street Legal)

| | | |
|-------------------|--|----------------|
| Category | L7eCP | Category |
| (LA)700 - (LIT) | 590 kg | Curb weight |
| | 600 kg | Total load cap |
| | 50 km/h | Max speed |
| | 50 km | Range +/- |
| | 20% | Max gradient |
| 3350x1220x1965 mm | | Dimensions |
| 2460 mm | | Wheelbase |
| No Battery incl. | | Battery |
| 17A | | Charge unit |
| 6kW | | Engine |
| Curtis | | Controller |
| Optional | Plastic cargobox | Optional |
| | Open Alu Box 1000x1100x400 mm | |
| | Rear Seat with extended roof | |
| | Lead acid 48V 165Ah or 220Ah | |
| | LiFePO4 (Lithium) 48V 106Ah or 48V 173Ah | |
| | 10kW motor | |
| | Off-Road Package | |

eFFort eS-WSL (Street Legal)

| | |
|----------------|-------------------------------|
| Category | L7eCP |
| Curb weight | 502 kg |
| Max total mass | 734 kg |
| Max speed | 35 km/h |
| Range +/- | 50 km |
| Max gradient | 25% |
| Dimensions | 2840x1305x1950 mm |
| Wheelbase | 1870mm |
| Battery | LiFePO4 (Lithium) 48V 160Ah |
| Charge unit | 25A |
| Engine | 6.3kW |
| Controller | Curtis |
| Standard | Open Alu Box 1100x1000x270 mm |

Pilotcar PC-WSL (Street Legal)

| | | |
|-------------------|--|----------------|
| Category | L7eCP | Category |
| (LA)660 - (LIT) | 551 kg | Curb weight |
| | 485 kg | Total load cap |
| | 50 km/h | Max speed |
| | 50 km | Range +/- |
| | 20% | Max gradient |
| 3640x1220x1950 mm | | Dimensions |
| 2500 mm | | Wheelbase |
| No Battery incl. | | Battery |
| 17A | | Charge unit |
| 6kW | | Engine |
| Curtis | | Controller |
| Optional | Plastic cargobox | Optional |
| | Open Alu Box 1800x1300x400 mmf | |
| | Lead acid 48V 165Ah or 220Ah | |
| | LiFePO4 (Lithium) 48V 106Ah or 48V 173Ah | |
| | 10kW motor | |
| | Off-Road Package | |

What is Street Legal?



A Street Legal vehicle in our range complies with **European directives** according to type approval under the category L6 or L7 low-speed vehicles.

SL-vehicles are offered with a COC document as standard according to EU homologation legislation, allowing the customer to apply for a registration plate. A windscreen with wiper, light package, three-point seatbelt, ... are standard.

Furthermore, a street legal vehicle is always provided with a Chassis number, a non street legal vehicle is provided with a Serial number.



Security glass windshield with windshield wiper and wash system



Premium seats with adjustable headrest & mandatory three-point safety belt



Full halogen lighting package with LED daylights




Four wheel hydraulic braking system with electronic handbrake



EU COC document with type approval L6 or L7 - CP or CU



Full cabin with heating and air conditioning



Digital display integrated in dashboard





What & Where?

In certain models we offer variations based on customers needs and demands.

The eS2 and eS2Golf are examples of such variations. Both golf carts are for two people and are not suitable for public roads; in other words, neither can be licensed with a number plate. However, there are differences between these two models.

The appearance and design are completely different, so we offer a choice. A car has also different models with different designs and packages. Performance also varies in different motors, controllers, and battery packs.

For example, golf courses with larger numbers will opt for the eS2Golf because they can embroider the logo on the seat and the cart is easy and less expensive. This doesn't mean that one model is better than the other.

eFFort eS-2Golf (Not Street Legal)

| | |
|--------------|----------------------------|
| Category | Not Street Legal |
| Curb weight | 560 kg |
| Max speed | 25 km/h |
| Range +/- | 50 km |
| Max gradient | 30% |
| Dimensions | 2740x1210x1820 mm |
| Wheelbase | 1670 mm |
| Battery | LiFePO4 (Lithium) 48V 105h |
| Charge unit | 25A |
| Engine | 4kW |
| Controller | From factory |



eFFort eS-2 (Not Street Legal)

| | |
|--------------|----------------------------|
| Category | Not Street Legal |
| Curb weight | 360 kg |
| Max speed | 30 km/h |
| Range +/- | 70 km |
| Max gradient | 30% |
| Dimensions | 2380x1200x1850 mm |
| Wheelbase | 1650 mm |
| Battery | LiFePO4 (Lithium) 48V 160h |
| Charge unit | 25A |
| Engine | 6.3kW |
| Controller | Curtis |



- Preference for design**
- Special color or custom logo**
- Difference between motor and controller**
- Difference in battery capacity**
- Windshield with wiper**
- Application - tires**
- Stock**

Possibilities?

For some applications and for some customers, there are numerous options.

Below, we give some available options alongside a utility vehicle type eS-W. It's important to understand the customer's needs, in what price range we offer, what's important to the customer, the expected delivery time, so you can make a selection from the various 'cargo' vehicles.

eFFort eS-W (Not Street Legal)

| | |
|------------------|----------------------------|
| Category | Not Street Legal |
| Curb weight | 440 kg |
| Loading capacity | 500 kg |
| Max speed | 30 km/h |
| Range +/- | 50 km |
| Max gradient | 30% |
| Dimensions | 3330x1200x1830 mm |
| Wheelbase | 2450 mm |
| Battery | LiFePO4 (Lithium) 48V 160h |
| Charge unit | 25A |
| Engine | 6.3kW |
| Controller | Curtis |
| Cargobox | 1650x1100x275mm |
| Tipper | Electric |



- eFFort eS-2 with cargobox**
- Pilotcar PC-2 with cargobox**
- Pilotcar PC-W**
- eFFort eS-WSL**
- Pilotcar PC-WSL**
- eFFort eS-2UTVSL**
- eFFort CargoTruck**
- eFFort MiniCargo**
- eFFort e-Trike**
- Used Club Car with cargobox**



VEHICLES - NON STREET LEGAL



Amusement park



Camping



Factory premises



Golf



Zoo



Private terrains



Hotels & Resorts



PC2

- 2-seater (+2 or cargo optional)
- 6kW engine
- 40 km/h
- 100% electric
- 50 km autonomy*
- Off-road / lifted version
- All options available, not mandatory
- Battery not included



PC4

- 4-seater (+2 or cargo optional)
- 6kW engine (10kW optional)
- 45 km/h
- 100% electric
- 50 km autonomy*
- Off-road / lifted version
- All options available, not mandatory
- Battery not included



PCW

- 2-seater utility
- 6kW engine (10kW optional)
- 35 km/h
- 100% electric
- 50 km autonomy*
- Off-road / lifted version
- 800kg load cap / 1500kg tow cap
- Open cargo: 180x130x40
- All options available, not mandatory
- Battery not included



eS-2 GOLF (Not Street Legal)

- 2-seater (+2 or cargo optional)
- 4kW engine
- 30 km/h
- 100% electric
- 50 km autonomy*
- All options available, not mandatory
- Battery included (LiFePO4 eFFort)



eS-4

- 4-seater (+2 or cargo optional)
- 6kW engine
- 40 km/h
- 100% electric
- 50 km autonomy*
- All options available, not mandatory
- Lithium battery included



eS-W

- 2-seater utility
- 6kW engine
- 35 km/h
- 100% electric
- 50 km autonomy*
- 350kg load capacity
- Open Cargo: 165x110x27
- All options available, not mandatory
- Lithium battery included



Plug & Play

70x110x27

EU168/2013*

VEHICLES - NON STREET LEGAL



PC6

- 6 seater (Optional +2)
- 6kW engine (10kW optional)
- 35 km/h
- 100% electric
- 50km autonomy
- All options available, not mandatory
- Battery not included



PCH

- Wheelchair ramp
- 4 seater (+ 2 Optional)
- 6kW engine (10kW optional)
- 35 km/h
- 100% electric
- 50km autonomy*
- All options available, not mandatory
- Battery not included



PCA

- Ambulance
- 2 seater
- 6kW engine (10kW optional)
- 30 km/h
- 100% electric
- 50km autonomy*
- All options available, not mandatory
- Battery not included

Options

EU168/2013*



Rear Seat



Extended Suntop



Alu Box PC (100x110x40)
Alu Box ES (70x110x27)



Plastic Box



Standard LED light



Foldable Windshield



Standard Golf Seat



Towing Hitch



Lifted / Off-road



Bull Bar



Mesh Box PCW
(180x130x130)



Closed Box PCW
(175x124x130)

Differences Pilotcar & eFFort



With eSupplier, we aim to be a multi-brand organisation where we can respond to each customer's demand.

Every customer has their demands, needs and requirements related to the purchase or rental of a low-speed electric vehicle. As eSupplier we play an advisory role and look at the application, budget, needs, desires, ... to make a perfect fit between our customers and the vehicles.

We offer several types in the same range because at the end, the choice always lies with the customer, he chooses what he buys & where he buys it.

Our brands are supported with a large stock of spare parts, technical support and service from Belgium.

Pricing

Every customer has a different budget. With eSupplier, we offer different options in different price ranges within the same product range. Our highest priority, with all our brands, is our critical look for high quality! We guarantee parts, service and look forward to a long-term cooperation!

Application

Every application requires a different vehicle. After years of experience in low-speed electric vehicles, we are happy to share with you our opinion. We look at suspension, motor capacity, chassis, battery and are happy to answer all technical questions.



Specials

For larger projects, the eFFort range allows us to be more customer oriented. All vehicles can be customised such as different RAL colour, different types of seats, embroidered logo in colour in the seat, body, motor, lighting, ...

Stock

If you need your golf cart quickly, we will check what is available in stock from Belgium. Keep in mind that we have +/- 100 different vehicles in stock, ready to deliver.

We will find a fit for everyone at short notice.



eFFort - UTV 4x4



Meet our Electric eFFort UTV – compact, robust, and built to perform. Equipped with two electric motors, this 4x4 delivers maximum traction and control on any surface.

With a high-capacity lithium battery, hydraulic braking system, digital display, windscreen, and wiper, it's fully equipped for everyday use. Easily switch between 2WD and 4WD to conquer any terrain – from muddy tracks to steep slopes.

Optional features include a winch, fully enclosed cabin (doors and windows), tow hitch, EPS power steering, and much more.

Top performance, top features, unbeatable price!

The ideal electric UTV for municipalities, agriculture, rental, industry, or recreational use.



- ✓ 2 Seater - Street Legal Lithium Battery 11.04 kWh ✓
- ✓ 4 Seater - Not Street Legal 2WD/4WD switch ✓
- ✓ Top Speed up to 55km/h Towing up to 500kg ✓



Street legal?

The eFFort 2 seater UTV is homologated for the public road. This vehicle is category L7e and had a loading cap up to 185kg. The eS-4 UTV can only operate on private property and does not have the EU approval for public roads.

eFFort eS-2UTVSL (Street Legal)

| | |
|------------------|-----------------------------|
| Category | L7eCP |
| Curb weight | 788 kg |
| Loading capacity | 185kg |
| Towing capacity | 500kg |
| Max speed | 55 km/h |
| Range +/- | 50 km |
| Max gradient | 30% |
| Dimensions | 2950x1430x1780 mm |
| Wheelbase | 1905 mm |
| Battery | LiFePO4 (Lithium) 72V 150Ah |
| Charge unit | 25A |
| Engine | 10kW (3/7) |
| Cargobox | 1180x930x340mm |
| EPS | Included |
| Optional | Full Cabin |

eFFort eS-4UTV (Not Street legal)

| | |
|-----------------------------|------------------|
| Not Street Legal | Category |
| 950 kg | Curb weight |
| 185 kg | Loading capacity |
| 500 kg | Towing capacity |
| 55 km/h | Max speed |
| 50 km | Range +/- |
| 30% | Max gradient |
| 3695x1495x1890 mm | Dimensions |
| 2710 mm | Wheelbase |
| LiFePO4 (Lithium) 72V 150Ah | Battery |
| 25A | Charge unit |
| 10kW (3/7) | Engine |
| 1180x930x340mm | Cargobox |
| Included | EPS |
| Optional | Full Cabin |
| Optional | Optional |



SHUTTLEBUS - NON STREET LEGAL



Compact, powerful, and comfortable — our electric shuttle bus is the perfect solution for sustainable passenger transport.

Equipped with a high-capacity lithium battery for maximum range, power steering for effortless control, and a digital display keeping all functions at your fingertips.

The shuttlebus is standard with hydraulic braking system, radio, seatbelts, lots of storage room, windshield with wiper and countless other stuff.

Available in configurations for 8 to 17 passengers, fully customizable to your needs:

- Optional fully enclosed cabin with doors and windows, or a plastic enclosure for our open cabin
- Optional heating system and other comfort features

Pricing

Our electric shuttle bus combines innovation, comfort, and performance at a remarkably affordable price. With eSupplier, we work with fixed partners and look for the import, customs clearance, assembly, aftersales, ... for the range of shuttle buses in order to give you our best possible price.

Performance

After years of experience in our own rental fleet and a good flow in parts and service, we know what the customer needs.

With a 72V 315Ah Lithium battery, built-in charger, 7.5kW to 11kW motor, EPS, ... provided as standard, we are always going to deliver a high quality bus.

Tailor-made

In our range of shuttles, we work with you on different seats, logos and body looks. Furthermore, the bus can be open, closed (half- or full-glass doors) or with a flexible enclosure. Ultimately, you can use the bus to create a fully customised package.



eFFort eS-11 (Open - Closed)

| | |
|--------------|---|
| Category | Not Street Legal |
| People | 11 people |
| Curb weight | 1170 kg |
| Max speed | 30 km/h |
| Range +/- | 80 km |
| Max gradient | 15% |
| Dimensions | 4185x1510x2040 mm |
| Wheelbase | 1885 mm |
| Battery | LiFePO4 (Lithium) 72V 230Ah |
| Charge unit | 25A |
| Engine | 7.5kW |
| Optional | Open or Closed Version LiFePO4 72V 280Ah |

eFFort eS-14 (Open - Closed)

| | |
|--------------|---|
| Category | Not Street Legal |
| People | 14 people |
| Curb weight | 1300 kg |
| Max speed | 30 km/h |
| Range +/- | 80 km |
| Max gradient | 15% |
| Dimensions | 4970x1510x2040 mm |
| Wheelbase | 2670 mm |
| Battery | LiFePO4 (Lithium) 72V 230Ah |
| Charge unit | 25A |
| Engine | 7.5kW |
| Optional | Open or Closed Version LiFePO4 72V 280Ah |



CARGO - STREET LEGAL



A fully electric vehicle equipped with everything you need as standard. Spacious, agile and surprisingly affordable. No endless list of expensive options - just well taken care of. As you would expect from eSupplier, as we know how electric driving really works. The eFFort Cargo-Truck is the answer to today's uncertainty and an investment in tomorrow's sustainability. For entrepreneurs who want to move forward, without fuss. Because you deliver every day. Because we do too. Our eFFort Cargo-Truck is ready for what is coming!



Cabin

The materials in the eFFort are of high quality. The seats and dashboard are durable and made of aesthetic materials for optimal comfort. Moreover, it is standard with a touchscreen system with Bluetooth functionality.

The cabin of the eFFort offers unparalleled comfort due to its exceptional width, making it the most comfortable in the market. The spacious layout allows drivers and passengers to enjoy extra freedom of movement and an enhanced driving experience.

The ergonomically designed seats ensure that even long journeys are pleasant and relaxing.

Battery

The eFFort offers the perfect solution for every challenge, thanks to its all-electric drive, compact measurement and impressive range. The vehicle features a 23kWh Lithium battery that is maintenance-free, offers a range of up to 200km and can handle 'fast charging'.

- EU homologation - Street Legal ✓
- Range up to 200 km ✓
- Top Speed up to 75km/h ✓
- 5-7h Charge ✓
- Up to 600kg loading capacity ✓



Price


The eFFort Cargotruck has very competitive pricing and great value for money! You will nowhere find a more interesting offer! Contact us to learn more about this top-class vehicle. You are more than happy to book a demo ride at our premises or invites during one of our many eSupplier-on-Tour trips to showcase the vehicle on site!



SIMPLICITY


1. LCD HD color display
2. USB port connection
3. Power steering wheel
4. Air conditioning
5. Storage compartments
6. Acoustic Vehicle Alerting System
7. Electric windows
8. START/STOP button
9. Central locking system
10. Contactless key

CARGO - STREET LEGAL




eS-Cargo / Flat Bed

- Chassis version
- 10kW engine
- 75 km/h
- 100% electric




eS-Cargo / Pick-up

- Open Cargo Box version
- 10kW engine
- 75 km/h
- 100% electric



eS-Cargo / Tipper

- Open Cargo Box with tipper version
- 10kW engine
- 75 km/h
- 100% electric




eS-Cargo / Closed

- Closed Cargo Box (no side doors)
- 10kW engine
- 75 km/h
- 100% electric




eS-Cargo / Closed Cold

- Closed Cargo Box (no side doors)
- 10kW engine
- 75 km/h
- 100% electric




eS-Cargo / Closed Door

- Closed Cargo Box (one side doors)
- 10kW engine
- 75 km/h
- 100% electric




eS-Cargo / Closed Roll-up

- Closed Cargo Box (Full side roller door)
- 10kW engine
- 75 km/h
- 100% electric



eS-Cargo / Waste Collection

- Waste Collection (CUSTOM)
- 10kW engine
- 75 km/h
- 100% electric



eS-Cargo / Display

- Display - Marketing (CUSTOM)
- 10kW engine
- 75 km/h
- 100% electric




CARGO - VEHICLE DIMENSIONS

Dimensions Closed & Cold

| | |
|----------------------|---------|
| A Length | 3700 mm |
| B Width | 1440 mm |
| Width (incl. Mirror) | 1735 mm |
| C Height | 2100 mm |


| | |
|---------------------------|---------|
| D Wheelbase | 2500 mm |
| E Ground Clearance | 160 mm |
| F Cargo Bed Height | 700 mm |



Dimensions Pick-Up & Tipper

| | |
|----------------------|---------|
| A Length | 3700 mm |
| B Width | 1440 mm |
| Width (incl. Mirror) | 1735 mm |
| C Height | 1800 mm |

| | |
|---------------------------|---------|
| D Wheelbase | 2500 mm |
| E Ground Clearance | 160 mm |
| F Cargo Bed Height | 700 mm |




Dimensions Flat

| | |
|-------------------------------|---------|
| A Length | 3600 mm |
| B Width | 1440 mm |
| B Width (incl. Mirror) | 1735 mm |
| C Height | 1750 mm |
| D Wheelbase | 2500 mm |
| E Ground Clearance | 160 mm |
| F Cargo Bed Height | 700 mm |

CARGO - BOX DIMENSIONS


CLOSED CARGO BOX



| | |
|------------------|---------|
| 1 Length Outside | 1710 mm |
| 1 Length Inside | 1635 mm |
| 2 Width Outside | 1450 mm |
| 2 Width Inside | 1420 mm |
| 3 Height Outside | 1360 mm |
| 3 Height Inside | 1290 mm |

CLOSED COLD CARGO BOX

| | |
|------------------------|--------------|
| 1 Chiller unit | 540 mm |
| 1 Length Outside | 1710/2260 mm |
| 1 Length Inside | 1625 mm |
| 2 Width Outside | 1450 mm |
| 2 Width Inside | 1365 mm |
| 3 Height Outside | 1360 mm |
| 3 Height Inside | 1275 mm |
| Compressor rated power | 700 W (72V) |
| 1 Service temperature | -18 ~+10°C |




PICK UP CARGO BOX



| | |
|--------------------|---------|
| 1 Length Outside | 1700 mm |
| 1 Length Inside | 1660 mm |
| 2 Width Outside | 1375 mm |
| 2 Width Inside | 1335 mm |
| 3 Height | 1100 mm |
| 4 Total Height | 325 mm |
| 5 Height Headboard | 775 mm |

PICK UP TIPPER CARGO BOX

| | |
|------------------------|--------------------|
| 1 Length Outside | 1742 mm |
| 1 Length Inside | 1627 mm |
| 2 Width Outside | 1440 mm |
| 2 Width Inside | 1300 mm |
| 3 Height | 1075 mm |
| 4 Total Height | 325 mm |
| 5 Height Headboard | 730 mm |
| Payload Area | 2.2 m ² |
| Max Height Tray Raised | 2630 mm |
| Max Tipping Angle Tray | 45° |
| Lifting time (empty) | 15 sec |



CARGO - SPECIFICATIONS



LEGENDARY PERFORMANCES,
EXCEPTIONAL COMFORT

SPECSHEET

GENERAL

| | |
|---------------------------|---------------------|
| Gross vehicle weight (kg) | 1450 |
| Curb weight (kg) | 845 |
| Max. load capacity (kg) | 600 |
| Max. speed (km/h) | 75 |
| Max. gradient | 25% |
| Min. turning circle (m) | 5,5 |
| Range in practice (km) | 200 |
| Vehicle warranty | 2 years or 50.000km |

BATTERY

| | |
|-------------------------|------------|
| Battery Type | LiFePO4 |
| Rated Capacity (Ah/kWh) | 300Ah / 23 |
| Nominal Voltage (V) | 76,8 |

LOADING SYSTEM

| | |
|------------------------|-----------|
| On-board charger (kW) | 3,3 |
| Type of connector | EU Type 2 |
| Charge time 20-80% (h) | 4 |
| Charge time 0-100% (h) | 7 |

ELECTRIC DRIVE

| | |
|----------------------|---------------------------------------|
| Engine type | Permanent Magnet Synch. Engine (PMSM) |
| Cooling | Air-cooled |
| Drive | Rear-wheel drive |
| Electric motor power | 10kW / 20kW peak |
| Maximum torque (Nm) | 112 |
| Transmission | Automatic |

CHASSIS

| | |
|--------------------|------------------------------------|
| Suspension | McPherson (independent suspension) |
| Brake system Front | Brake discs |
| Brake system Rear | Drum brakes |
| Tyre size | 155/65 R13 |

STANDARD


| |
|-----------------------------------|
| OBC 3.3kW |
| 2 reclining seats |
| Faux leather seats |
| Metal door and cabin |
| Adjustable headrests |
| Three-point seat belts |
| LED lights |
| Seat belt warning |
| Doors warning |
| Central door lock |
| Remote control key |
| Electric windows |
| Electric heating |
| Reversing camera |
| 9" touch-screen multimedia system |
| Radio |
| Air conditioning |

SAFETY

| |
|---------------------------------|
| ABS (Anti-Lock Braking System) |
| EPS (Electronic Power Steering) |
| PAS (Pedestrian Alert Systems) |
| Regen Brakingsystem |
| BOS (Brake Override System) |

OPTIONAL

| |
|----------------------------------|
| Custom made box (with racks) |
| Towing hook |
| Wall Charger 7.4kW |
| Battery 150Ah / 11,50kWh |
| Warning triangle |
| Blue Spot / Amber Flashing Light |



VEHICLES - SPECIALS



Last mile delivery



Camping



Amusement park



Municipalities



Sports sites



Hospitals



Mini-Cargo

- 1 or 2 seater
- 7.5kW engine
- 45 km/h
- 100% electric
- 130km autonomy*
- 200kg load cap
- Full option
- Battery included (11.5kWh Lithium)




Cargo e-Trike

- 1 seater
- 3kW engine
- 45 km/h
- 100% electric
- 75km autonomy*
- 300kg load cap
- Full option
- Battery included (6.4kWh Lithium)

EU168/2013*

Our eFFort **Mini-Cargo** is the smaller version of our eFFort Cargo-Truck. Unlike the Cargo-Truck, the Mini is often designed for one driver. With almost all the same features as the Cargo-Truck this smaller eFFort vehicle offers a very high level of driving comfort. Our vehicle is allowed for public roads (L7) and has a speed up to 45 km/h. The cargo makes it a perfect fit for small deliveries, small trips in city centers, campings or at sport & music events.

Our eFFort **E-Trike** is a cargo three-wheel truck for small deliveries or advertising. It is a compact and well-built vehicle that can be used for many different applications. It features a cargobox (110 x 100 x 100 cm) with a load capacity of 400 kg. This beautiful electric vehicle, available in L5 category, will definitely stand out in the streets!



Different seat position options (LHD or Middle)

Standard closed or open cargo box available




Full halogen lighting package with LED daylights



Digital screen with bluetooth functionality




MINI CARGO - STREET LEGAL




eS-MiniCargo / Flat Bed

- Chassis version
- 7.5kW engine
- 45 km/h
- 100% electric




eS-MiniCargo / Pick-up

- Open Cargo Box version
- 7.5kW engine
- 45 km/h
- 100% electric



eS-MiniCargo / Closed

- Closed Cargo Box (no side doors)
- 7.5kW engine
- 45 km/h
- 100% electric





eS-MiniCargo / Closed Door

- Closed Cargo Box (one side door)
- 7.5kW engine
- 45 km/h
- 100% electric

Dimensions Closed

| | | | |
|---------------------------|---------|------------------------------|--------------|
| A Length | 3175 mm | F Cargo Bed Height | 680 mm |
| B Width | 1240 mm | G Length box (out/in) | 1250/1150 mm |
| Width (incl. Mirror) | 1470 mm | H Width Box (out/in) | 1200/1100 mm |
| C Height | 1750 mm | I Height Box (out/in) | 1000/950 mm |
| D Wheelbase | 2090 mm | | |
| E Ground Clearance | 135 mm | | |



MINI - SPECIFICATIONS



INCREDIBLE QUALITY,
UNBELIEVABLE PRICE

SPECSHEET

GENERAL

| | |
|---------------------------|---------------------|
| Gross vehicle weight (kg) | 1200 |
| Curb weight (kg) | 695 |
| Max. load capacity (kg) | 200 |
| Max. speed (km/h) | 45 |
| Max. gradient | 20% |
| Min. turning circle (m) | 5 |
| Range in practice (km) | 100 |
| Vehicle warranty | 2 years or 50.000km |

BATTERY

| | |
|-------------------------|--------------|
| Battery Type | LiFePO4 |
| Rated Capacity (Ah/kWh) | 150Ah / 11.5 |
| Nominal Voltage (V) | 76,8 |

LOADING SYSTEM

| | |
|------------------------|-----------|
| On-board charger (kW) | 2,2 |
| Type of connector | EU Type 2 |
| Charge time 20-80% (h) | 4 |
| Charge time 0-100% (h) | 7 |

ELECTRIC DRIVE

| | |
|----------------------|--|
| Engine type | Permanent Magnet Synch. Engine (PMSM) |
| Cooling | Air-cooled |
| Drive | Rear-wheel drive |
| Electric motor power | 7.5kW / 15kW |
| Maximum torque (Nm) | 85 |
| Transmission | Automatic |

CHASSIS

| | |
|--------------------|------------------------------------|
| Suspension | McPherson (independent suspension) |
| Brake system Front | Brake discs |
| Brake system Rear | Drum brakes |
| Tyre size | 145/70R12 (LT) |

STANDARD


OBC 2.2kW
1 or 2 seats
Adjustable driver seat
Full cabin
Adjustable headrests
Three-point seat belts
Seat belt warning
Doors warning
Key in ignition
Electric windows
Electric heating
Reversing camera
Central door lock
Multimedia system
Radio

SAFETY


ABS (Anti-Lock Braking System)
BOS (Brake Override System)

OPTIONAL

Custom made box (with racks)
Towing hook
OBC 6.6kW
Warning triangle
Blue Spot / Amber Flashing Light
Air conditioning



ETRIKE - STREET LEGAL




eS-eTrike / Flat Bed

- Chassis version
- 3kW engine
- 45 km/h
- 100% electric




eS-eTrike / Pick-up

- Open Cargo Box version
- 3kW engine
- 45 km/h
- 100% electric



eS-eTrike / Closed

- Closed Cargo Box (no side doors)
- 3kW engine
- 45 km/h
- 100% electric




eS-eTrike / Closed Door

- Closed Cargo Box (one side door)
- 3kW engine
- 45 km/h
- 100% electric

Dimensions Closed


| | | | |
|---------------------------|---------|------------------------------|--------------|
| A Length | 2990 mm | F Cargo Bed Height | 610 mm |
| B Width | 1090 mm | G Length box (out/in) | 1450/1335 mm |
| Width (incl. Mirror) | 1075 mm | H Width Box (out/in) | 1050/985 mm |
| C Height | 1650 mm | I Height Box (out/in) | 1050/995 mm |
| D Wheelbase | 2100 mm | | |
| E Ground Clearance | 110 mm | | |



ETRIKE - SPECIFICATIONS



INCREDIBLE QUALITY,
UNBELIEVABLE PRICE



SPECSHEET

GENERAL

| | |
|---------------------------|---------------------|
| Gross vehicle weight (kg) | 830 |
| Curb weight (kg) | 427 |
| Max. load capacity (kg) | 300 |
| Max. speed (km/h) | 45 |
| Max. gradient | 22% |
| Min. turning circle (m) | 4.5 |
| Range in practice (km) | 50 |
| Vehicle warranty | 2 years or 20.000km |

BATTERY

| | |
|-------------------------|-------------|
| Battery Type | LiFePO4 |
| Rated Capacity (Ah/kWh) | 100Ah / 6.0 |
| Nominal Voltage (V) | 60 |

LOADING SYSTEM

| | |
|------------------------|------|
| On-board charger (kW) | 1 |
| Type of connector | GB/T |
| Charge time 20-80% (h) | 4 |
| Charge time 0-100% (h) | 7 |

ELECTRIC DRIVE

| | |
|----------------------|---------------------------------------|
| Engine type | Permanent Magnet Synch. Engine (PMSM) |
| Cooling | Air-cooled |
| Drive | Rear-wheel drive |
| Electric motor power | 7.5kW / 15kW |
| Maximum torque (Nm) | 85 |
| Transmission | Automatic |

CHASSIS

| | |
|--------------------|---|
| Suspension | Front Shock Absorber Fork / Integral Suspension |
| Brake system Front | Brake discs |
| Brake system Rear | Drum brakes |
| Tyre size | 120-90-10 |

STANDARD

OBC 1kW
CBS combined braking
Adjustable driver seat
Full cabin
Three-point seat belts
Key in ignition
Electric windows
Radio
Reversing camera
Central door lock
Multimedia system
Storage compartment
Air vents

OPTIONAL

Custom made box (with racks)
Warning triangle
Blue Spot / Amber Flashing Light

eFFort LiFePO4 Batteries

Belgian Design. Industrial Quality.

Experience longer run times, faster charging, and zero maintenance with our advanced LiFePO4 batteries. Designed for superior performance and reliability, these lightweight batteries deliver consistent power, extended life cycles, and smart energy management—making every ride smoother and more efficient.

With eSupplier we have dedicated our attention to build better batteries. Heavy Duty Applications like golfcarts, scissor lifts, cleaning machines and others require Heavy Duty Batteries. With a long history in lithium batteries and low speed vehicles, we continually implement new innovations.

✓ External Display

State of charge display is included in the package.

✓ External Button

The battery switches off automatically after standstill. With an external button you can reactivate it.


✓ EVE / S-Volt Cells

Our lithium battery is built with A-brand cells from EVE & S-Volt.

✓ The battery is **Serial Connected**, not parallel for less internal resistance, less complex construction, less cabling resulting in a smaller error rate.

✓ LFP Technology

The heart of the eFFort Battery is the LFP technology. Based on important parameters such as the highest score on safety & lifetime, you are getting a good battery for your application.



BMS & Safety Parameters

- ✓ Each cell is connected to the **BMS** that supervises every individual cell and ensures balancing.
- ✓ **CAN Bus** communication is also implemented. The battery pack is provided on an individual cell base with **Temperature Sensors**.
- ✓ **High Peak Current**
Providing high peak power for every application.

✓ eFFort Charger


Range of LiFePO4 & Lead Acid chargers available with different charging curves and multiple charging outputs (A).

✓ Open Design & Service

Service, diagnostics, spare parts and tailor-made follow-up from Belgium. Technical training is available too.

✓ Heating Mat

Integrated heating elements that perform when charging the battery. The heating element allows the battery to heat from -20°C to 0°C to start & charge. Discharging does not require a heating system and is possible between -20°C & 60°C.



✓ European invoicing

Why European invoicing?
We ensure that you are not the importer of the battery and so you, our customer, bear no final responsibility. We keep the responsibility at eSupplier.


eFFort LiFePO4 Batteries

Our eFFort, Your Equipment.

*With terminal
**With terminal insulator
***With holddown

- 5 years or 3000 cycles warranty
- IP65 & IP67
- EU Certificates
- Maintenance Free
- High Peak Current
- Ultra-safe LFP Technology
- EU Invoice & Warranty
- Operations in Belgium

• BMS APP



| eFFort LiFePO4 Battery | | | | | | | |
|------------------------|-------------|----------|---------------|----------------------|----------------------|-------------|----------------------|
| Ref. eSupplier | Voltage (V) | C20 (Ah) | Length (mm) | Width (mm) | Height (mm) | Weight (kg) | Kilowatt hours (kWh) |
| LIB/256.106.0001 | 25,60 | 106 | 350 | 250 | 230 *255 **280 | 25 | 2,72 |
| LIB/256.173.0001 | 25,60 | 173 | 520 | 250 | 240 *270 **285 | 37 | 4,43 |
| LIB/512.106.0001 | 51,20 | 106 | 500 ***580 | 330 *345 **360 | 220 | 48 | 5,43 |
| LIB/512.173.0001 | 51,20 | 173 | 720 ***800 | 310 *325 **345 | 240 | 75 | 8,86 |



Dimensions Charger

| Ref. eSupplier | Length | Width | Height |
|-----------------|--------|-------|--------|
| CH/292.025.0001 | 29,2 | 24 | 25 |
| CH/292.040.0001 | 29,2 | 24 | 40 |
| CH/584.025.0001 | 58,4 | 48 | 25 |
| CH/584.035.0001 | 58,4 | 48 | 35 |

eFFort Charger

| Ref. eSupplier | Output Voltage (V) | Nominal Voltage (V) | Amperage (A) | Rated voltage of battery pack (V) | Weight (kg) | Weight incl. box (kg) |
|-----------------|--------------------|---------------------|--------------|-----------------------------------|-------------|-----------------------|
| CH/292.025.0001 | 29,2 | 24 | 25 | 25,6 | 2,18 | 3,6 |
| CH/292.040.0001 | 29,2 | 24 | 40 | 25,6 | 3,5 | 5,0 |
| CH/584.025.0001 | 58,4 | 48 | 25 | 51,20 | 2,6 | 3,6 |
| CH/584.035.0001 | 58,4 | 48 | 35 | 51,20 | 3,8 | 4,9 |



CROWN DEEP CYCLE BATTERIES

Tough application, Tougher Batteries.

Crown Battery Manufacturing Company is a U.S.-based company that specializes in the design and production of high-quality, deep-cycle batteries. Founded in 1926 and headquartered in Fremont, Ohio, Crown Battery serves a variety of markets, including renewable energy, automotive, industrial, and commercial applications.

PROeye™ – Clean and easy, our quick-look electrolyte level inspection system lets you know when it's time to add water.

Rigid Connectors

Heavy-duty TTP, COS and Post connectors deliver maximum electrical efficiency and durability.

PosiWrap™ Separators

Crown's proprietary PosiWrap Separators give you less to worry about and more to like by delivering improved charge acceptance, protection from short-circuiting and an even higher level of durability.

SolidCast™ Plates

Our massive SolidCast Plates boast an advanced grid architecture and ultra-thick wires, with plates now holding more C-Force Active Mass than ever leading to highly efficient charging, longer discharge times and battery life, and extreme overall performance.

Advanced Engineering

Intelligent, yet robust construction features industry-firsts such as our C-Force™ Active Mass and SolidCast™ plates which combine to accept charge more effectively, maintain it longer, and deliver on-demand power for your gear like nobody's business.




CR165



CR220



CR390



| Ref. | Cross Ref. | Voltage (V) | C20 (Ah) | C5 (Ah) | Length (mm) | Width (mm) | Height (mm) | Weight (kg) | Layout | Terminals | Pallet |
|-------------------------------------|------------|-------------|----------|---------|-------------|------------|-------------|-------------|--------|-----------|--------|
| 6 Volt Deep Cycle Batteries | | | | | | | | | | | |
| CRO/CR220HD | GC-220 | 6 | 220 | 180 | 260 | 179 | 278 | 27,8 | 6V: 1 | DT 1 + 8 | 48 |
| CRO/CR235HD | GC-235 | 6 | 235 | 190 | 260 | 179 | 278 | 29,0 | 6V: 1 | DT 1 + 8 | 48 |
| CRO/CR240E | DIN-240 | 6 | 240 | 195 | 245 | 191 | 273 | 31,0 | 6V: 1 | 1 | 48 |
| CRO/CR260HD | GC2H-260 | 6 | 260 | 215 | 260 | 179 | 295 | 34,0 | 6V: 1 | DT 1 + 8 | 48 |
| CRO/CR250 | J-250 | 6 | 250 | 200 | 298 | 183 | 283 | 33,0 | 6V: 1 | DT 1 + 8 | 36 |
| CRO/CR305HD | J-305 | 6 | 305 | 255 | 310 | 183 | 359 | 40,8 | 6V: 1 | DT 1 + 8 | 24 |
| CRO/CR330HD | J-330 | 6 | 330 | 270 | 310 | 183 | 359 | 42,0 | 6V: 1 | DT 1 + 8 | 24 |
| CRO/CR370HD | L16-370 | 6 | 370 | 295 | 314 | 183 | 410 | 46,0 | 6V: 1 | DT 1 + 8 | 24 |
| CRO/CR390HD | L16-390 | 6 | 390 | 310 | 314 | 183 | 410 | 52,2 | 6V: 1 | DT 1 + 8 | 24 |
| CRO/CR430HD | L16-430 | 6 | 430 | 340 | 314 | 183 | 410 | 55,3 | 6V: 1 | DT 1 + 8 | 24 |
| 8 Volt Deep Cycle Batteries | | | | | | | | | | | |
| CRO/CR165 | T165 | 8 | 165 | 140 | 262 | 179 | 275 | 29,0 | 1 | S | 48 |
| 12 Volt Deep Cycle Batteries | | | | | | | | | | | |
| CRO/24DC95 | 24DC | 12 | 95 | 75 | 281 | 173 | 238 | 23,0 | 1 | DT 1 + 8 | 64 |
| CRO/27DC115 | 27DC | 12 | 115 | 95 | 329 | 173 | 238 | 27,0 | 1 | DT 1 + 8 | 48 |
| CRO/31DC130 | 31DC | 12 | 130 | 105 | 330 | 171 | 238 | 30,0 | 1 | DT 1 + 8 | 48 |
| CRO/GCCR150 | GC12-150 | 12 | 150 | 123 | 328 | 179 | 267 | 37,0 | 1 | DT 1 + 8 | 36 |

PARTS & ACCESSORIES



Rear Utility Steel Box Club Car
 • PA.02/SRRUSB-02

REQUEST A QUOTE



Cargo Box Brackets Club Car
 • PA.02/CBMB-01

REQUEST A QUOTE



Rear Seat Kit Club Car
 • PA.02/SRRSK-003

REQUEST A QUOTE



Black Front Seat Club Car
 • PA.02/SRFS-009

REQUEST A QUOTE



Golf cart 20x10-10 All Terrain
 • PA.02/SRGCT-14

REQUEST A QUOTE



Alu Baggage Box Kit Pilotcar
 • PA.01/PCK0377

REQUEST A QUOTE



Alu Baggage Mounting Assembly Kit Pilotcar
 • PA.01/PCK0379

REQUEST A QUOTE



Foldable rear seat kit Pilotcar
 • PA.01/PCK0110-0002

REQUEST A QUOTE



LED light kit Club Car
 • PA.02/SRLK-12

REQUEST A QUOTE



6" A-Arm lift Kit Club Car
 • PA.02/SRLK3524-01-6inch

REQUEST A QUOTE

English

In-house Assembly in Belgium

Through our own in-house assembly, we provide large quantities of spare parts. With + 1000 references on our current brands, we ensure good after-sales for our network.

Direct Purchase EU Parts

With direct lines to manufacturers such as Curtis & Schabmüller, we buy main parts directly from the manufacturers.

Multi-Brand Spare Parts Stock

With an extensive stock, we can provide multiple brands with options such as rear seats, boxes, seats, ... On this page you can find a small selection of the possibilities.



USED VEHICLES

Fleet

At eSupplier, we specialise in large fleet purchases from major dealers and end customers internationally with our focus on renowned brands such as Club Car, Ez-Go & Yamaha. Therefore, we can offer more competitive prices in the market. International resales are mostly in FTL (Qty 10 - 11).



Spare Parts

As mentioned the page before, we keep stock of spare parts for all the brands we offer. We also offer extra options for the golf carts at the most competitive price in the market in combination with fleet sales.



Condition

The customer or reseller decides in which condition he wants to purchase the golf cart, this is possible in as-is, refurbished or technically inspected vehicle. We do ensure that vehicles are delivered in good working condition unless otherwise stated.




OEM Battery Production

Our main focus is on prototyping, production & service for manufacturers and major importers. We are happy to help a manufacturer with starting up a new production line or assisting in the after-service for bicycles, motorcycles, electric wheelchairs, AGV's or any other application where lithium packs are used.

Many manufacturers are confronted with challenges in regard to ADR transportation, lead times, repairs & refurbishment, certification,... We can produce or refurbish large numbers and have all in-house knowledge of a LiFePO4 battery pack to quickly identify and solve the cause of a problem.

With our BatteryFix.pro department we have already served many manufacturers who have given us confidence as an independent party for their battery production and technical follow-up.



Transport & storage

At BatteryFix, we invest heavily to relieve our customers in relation to the storage and transportation of lithium batteries. We store batteries in a secure approved environment and ship only what is needed and when it is needed.

State-of-the-art prototypes

With our advanced design software and equipment, we quickly bring your battery ideas to life. Our specialists are happy to come on site to map everything such as the product/vehicle, dimensions for installation, removable battery, type of charger, required certifications or other specific needs.

Quality production & certification

In our production department, we ensure that every battery we make meets the highest standards. Batteries can be ordered on demand or per order in small and large quantities.

We can also provide all the necessary certificates for your batteries so that you can install the batteries in your devices without any problems.

Aftersales & service

We do in-house battery testing, repair, refurbishment and provide replacement batteries in case of unexpected problems. We are happy to serve many happy manufacturers in many different applications.

